



Syngenta Nozzle Selector

Optimising turf product selection and application

Please select the target:

Foliar

Soil





Main menu ► Foliar ►

Soil

Please select one of the below:

Fungicide ▶

Wetting agent ▶





Main menu ► Soil ► Foliar ►



Application Speed	Nozzle	Recommended water volume
5-7 kph	Soil XC 08	470 - 750 I/ha





Main menu ► Soil ► Foliar ►





Application Speed	Nozzle	Recommended spray volume	Use in sequence with Qualibra for improved performance
5-7 kph	Soil XC 08	450 - 750 l/ha	20 I/ha Qualibra





Main menu ► Soil ►

Foliar

Please select one of the below:

Fungicide >







Main menu ► Soil ►

Please select a Foliar Fungicide below:

















Main menu ► Soil ► Foliar ►



Application Speed	Nozzle	Recommended spray volume	For Anthracnose and Dollar Spot nutrition is recommended	Recommended rate of nutrition
5-7 kph	Soil XC 08	500-600 I/ha	Greenmaster Spring and Summer	40-100 l/ha





Foliar ► Main menu ► Soil ►



Application Speed	Nozzle	Recommended spray volume	For Anthracnose and Dollar Spot nutrition is recommended	Recommended rate of nutrition
3-5 kph	Foliar XC 025	220-400 I/ha	Greenmaster Spring and Summer	40-60 l/ha
5-7 kph	Foliar XC 04	220-400 I/ha	Greenmaster Spring and Summer	40-60 l/ha





Main menu ► Soil ►

Foliar ▶



Application Speed	Nozzle	Recommended spray volume	For Anthracnose nutrition is recommended	Recommended rate of nutrition
3-5 kph	Foliar XC 025	220-400 I/ha	Greenmaster Spring and Summer	40-60 l/ha
5-7 kph	Foliar XC 04	220-400 I/ha	Greenmaster Spring and Summer	40-60 l/ha





Main menu ► Soil ► Foliar ►



Application Speed	Nozzle	Recommended spray volume	For Anthracnose and Dollar Spot nutrition is recommended	Recommended rate of nutrition
3-5 kph	Foliar XC 025	220-400 I/ha	Greenmaster Spring and Summer	40-60 l/ha
5-7 kph	Foliar XC 04	220-400 I/ha	Greenmaster Spring and Summer	40-60 l/ha





Main menu ► Soil ► Foliar ►



Application Speed	Nozzle	Recommended spray volume	For additional <i>Microdochium nivale</i> protection	Recommended rate of nutrition
3-5 kph	Foliar XC 025	220-400 I/ha	Greenmaster Liquid Effect Iron Fe	10 l/ha
5-7 kph	Foliar XC 04	220-400 I/ha	Greenmaster Liquid Effect Iron Fe	10 l/ha





Main menu ► Soil ► Foliar ►



Application Speed	Nozzle	Recommended spray volume	For Anthracnose nutrition is recommended	Recommended rate of nutrition
3-5 kph	Foliar XC 025	220-400 I/ha	Greenmaster Spring and Summer	40-60 l/ha
5-7 kph	Foliar XC 04	220-400 I/ha	Greenmaster Spring and Summer	40-60 I/ha






Main menu ► Soil ► Foliar ►



Please select one of the below:





Main menu ► Soil ► Foliar ►



Fairway

Green >

Application Speed	Nozzle	Recommended spray volume	Recommended nutrition	Recommended rate
5-7 kph	Foliar XC 04	220 - 400 l/ha	Sportsmaster High N WSF	15-20 kg/ha





Main menu ► Soil ► Foliar ►



Green

Fairway >

Application Speed	Nozzle	Recommended spray volume	Recommended nutrition	Recommended rate
3-5 kph	Foliar XC 025	220 - 400 I/ha	Greenmaster Spring and Summer	40-60 I/ha
5-7 kph	Foliar XC 04	220 - 400 I/ha	Greenmaster Spring and Summer	40-60 I/ha





Main menu ► Soil ► Foliar ►



Application Speed	Nozzle	Recommended spray volume
3-5 kph	Foliar XC 025	220-400 I/ha
5-7 kph	Foliar XC 04	220-400 I/ha

