according to Regulation (EC) No. 1907/2006



MEDALLION TL

Version Revision Date: SDS Number: This version replaces all previous versions. 7.0 07.11.2017 S1427722687

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

MEDALLION TL

Design code : A17856B

Product Registration number : PCS 04188

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Fungicide

stance/Mixture

1.3 Details of the supplier of the safety data sheet

Company : Syngenta Ireland Limited

Block 6 Cleaboy Business Park, Old Kilmeaden Road,

Waterford Ireland

Telephone : (051) 377203

Telefax : (051) 354748

E-mail address of person

responsible for the SDS

: cropsales.ie@syngenta.com

1.4 Emergency telephone number

Emergency telephone

number

: +44 1484 538444

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Chronic aquatic toxicity, Category 1

H410: Very toxic to aquatic life with long lasting

effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Precautionary statements : P102 Keep out of reach of children.

P270 Do not eat, drink or smoke when using this product.

Disposal:

P501 Dispose of contents/container to a licensed hazardous-

according to Regulation (EC) No. 1907/2006



MEDALLION TL

Version Revision Date: SDS Number: This version replaces all previous versions. 7.0 07.11.2017 S1427722687

waste disposal contractor or collection site except for empty triple rinsed clean containers which can be disposed of as nonhazardous waste.

Hazard pictograms

Signal word : Warning

Hazard statements : H410 Very toxic to aquatic life with long lasting effects.

Supplemental Hazard : EUH208 Contains 1,2-benzisothiazol-3-one.

Statements May produce an allergic reaction.

EUH401 To avoid risks to human health and the

environment, comply with the instructions for use.

Precautionary statements : Response:

P391 Collect spillage.

P501 Dispose of contents/ container to an approved

waste disposal plant.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
fludioxonil	131341-86-1	Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 10 - < 20
bronopol (INN)	52-51-7 200-143-0 603-085-00-8	Acute Tox. 4; H302 Acute Tox. 4; H312 Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0.1 - < 0.25
1,2-benzisothiazol-3(2H)-one	2634-33-5	Acute Tox. 4; H302	>= 0.025 - <

according to Regulation (EC) No. 1907/2006



MEDALLION TL

 Version 7.0
 Revision Date: 97.11.2017
 SDS Number: S1427722687
 This version replaces all previous versions.

 220-120-9 613-088-00-6
 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400
 0.05

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Have the product container, label or Safety Data Sheet with

you when calling the emergency number, a poison control

center or physician, or going for treatment.

If inhaled : Move the victim to fresh air.

If breathing is irregular or stopped, administer artificial respira-

tion.

Keep patient warm and at rest.

Call a physician or poison control centre immediately.

In case of skin contact : Take off all contaminated clothing immediately.

Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes. Remove contact lenses.

Immediate medical attention is required.

If swallowed : If swallowed, seek medical advice immediately and show this

container or label.

Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Nonspecific

No symptoms known or expected.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : There is no specific antidote available.

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Extinguishing media - small fires

Use water spray, alcohol-resistant foam, dry chemical or car-

bon dioxide.

Extinguishing media - large fires

according to Regulation (EC) No. 1907/2006



MEDALLION TL

Version Revision Date: SDS Number: This version replaces all previous versions. 7.0 07.11.2017 S1427722687

Alcohol-resistant foam

or

Water spray

Unsuitable extinguishing

media

Do not use a solid water stream as it may scatter and spread

fire.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

As the product contains combustible organic components, fire will produce dense black smoke containing hazardous prod-

ucts of combustion (see section 10).

Exposure to decomposition products may be a hazard to

health.

5.3 Advice for firefighters

Special protective equipment :

for firefighters

Wear full protective clothing and self-contained breathing ap-

paratus.

Further information : Do not allow run-off from fire fighting to enter drains or water

courses.

Cool closed containers exposed to fire with water spray.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions : Prevent further leakage or spillage if safe to do so.

Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible ab-

sorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local

/ national regulations (see section 13). Clean contaminated surface thoroughly. Clean with detergents. Avoid solvents.

Retain and dispose of contaminated wash water.

6.4 Reference to other sections

For disposal considerations see section 13., Refer to protective measures listed in sections 7 and 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : No special protective measures against fire required.

according to Regulation (EC) No. 1907/2006



MEDALLION TL

Version Revision Date: SDS Number: This version replaces all previous versions. 7.0 07.11.2017 S1427722687

Avoid contact with skin and eyes. When using do not eat, drink or smoke. For personal protection see section 8.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: No special storage conditions required. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs.

7.3 Specific end use(s)

Specific use(s)

: For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis	
fludioxonil	131341-86- 1	TWA	5 mg/m3	Syngenta	
propane-1,2-diol	57-55-6	OELV - 8 hrs (TWA) (particles)	10 mg/m3	IE OEL	
Further information	Where no specific short-term exposure limit is listed, a figure three times the				
	long-term exposure limit value should be used				
	57-55-6	OELV - 8 hrs (TWA) (total (va-	150 ppm 470 mg/m3	IE OEL	
		pour and parti- cles))	470 mg/ms		
Further information	Where no specific short-term exposure limit is listed, a figure three times the long-term exposure limit value should be used				

8.2 Exposure controls

Engineering measures

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards. Where necessary, seek additional occupational hygiene advice.

Personal protective equipment

Eye protection : No special protective equipment required.

Hand protection

Remarks : No special protective equipment required.

according to Regulation (EC) No. 1907/2006



MEDALLION TL

Version **Revision Date:** SDS Number: This version replaces all previous versions. 7.0 S1427722687 07.11.2017

Skin and body protection No special protective equipment required.

Select skin and body protection based on the physical job

requirements.

Respiratory protection No personal respiratory protective equipment normally re-

quired.

When workers are facing concentrations above the exposure

limit they must use appropriate certified respirators.

Protective measures The use of technical measures should always have priority

over the use of personal protective equipment.

When selecting personal protective equipment, seek appro-

priate professional advice.

SECTION 9: Physical and chemical properties 9.1 Information on basic physical and chemical properties

Appearance

suspension

Colour beige grey to grey green

Odour sweetish

Odour Threshold No data available

рΗ 5 - 9

Concentration: 1 % w/v

Melting point/range No data available

Boiling point/boiling range No data available

> 100 °C(992.0 hPa) Flash point

Method: Pensky-Martens closed cup

Evaporation rate No data available

Flammability (solid, gas) No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower : No data available

flammability limit

Vapour pressure

No data available

Relative vapour density No data available

1.06 g/cm3 (20 °C) Density

Solubility(ies)

according to Regulation (EC) No. 1907/2006



MEDALLION TL

Version Revision Date: SDS Number: This version replaces all previous versions. 7.0 07.11.2017 S1427722687

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperature : 610 °C

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic

: 77 - 233 mPa.s (20 °C)

64 - 196 mPa.s (40 °C)

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

9.2 Other information

Surface tension : 39.4 mN/m, 0.1 % w/v, 20 °C

SECTION 10: Stability and reactivity

10.1 Reactivity

None reasonably foreseeable.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions

: No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid

: No decomposition if used as directed.

10.5 Incompatible materials

Materials to avoid

: None known.

10.6 Hazardous decomposition products

Hazardous decomposition

products

: No hazardous decomposition products are known.

SECTION 11: Toxicological information

according to Regulation (EC) No. 1907/2006



MEDALLION TL

Version Revision Date: SDS Number: This version replaces all previous versions. 7.0 07.11.2017 S1427722687

11.1 Information on toxicological effects

Information on likely routes of exposure

Ingestion Inhalation Skin contact Eye contact

Acute toxicity

Product:

Acute oral toxicity

: LD50 (Rat, female): 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 2.59 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Components:

fludioxonil:

Acute oral toxicity

: LD50 (Rat, male and female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 2.6 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

bronopol (INN):

Acute oral toxicity

: Assessment: The component/mixture is moderately toxic after

single ingestion.

Acute dermal toxicity : Assessment: The component/mixture is moderately toxic after

single contact with skin.

1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity

: LD50 (Rat): 1,020 mg/kg

according to Regulation (EC) No. 1907/2006



MEDALLION TL

Version 7.0 Revision Date: 07.11.2017

SDS Number: S1427722687

This version replaces all previous versions.

Skin corrosion/irritation

Product:

Species: Rabbit

Result: No skin irritation

Components:

fludioxonil:

Species: Rabbit

Result: No skin irritation

bronopol (INN):

Result: Irritating to skin.

1,2-benzisothiazol-3(2H)-one:

Result: Irritating to skin.

Serious eye damage/eye irritation

Product:

Species: Rabbit

Result: No eye irritation

Components:

fludioxonil:

Species: Rabbit

Result: No eye irritation

bronopol (INN):

Result: Risk of serious damage to eyes.

1,2-benzisothiazol-3(2H)-one:

Result: Risk of serious damage to eyes.

Respiratory or skin sensitisation

Product:

Test Type: Buehler Test Species: Guinea pig

Result: Did not cause sensitisation on laboratory animals.

Components:

fludioxonil:

Species: Guinea pig

Result: Did not cause sensitisation on laboratory animals.

according to Regulation (EC) No. 1907/2006



MEDALLION TL

Version **Revision Date:** SDS Number: This version replaces all previous versions. 7.0 07.11.2017 S1427722687

1,2-benzisothiazol-3(2H)-one:

Result: Probability or evidence of skin sensitisation in humans

Germ cell mutagenicity

Components:

fludioxonil:

Germ cell mutagenicity- As-

sessment

: Animal testing did not show any mutagenic effects.

Carcinogenicity

Components:

fludioxonil:

Carcinogenicity - Assess-

ment

: No evidence of carcinogenicity in animal studies.

Reproductive toxicity

Components:

fludioxonil:

Reproductive toxicity - As-

sessment

: No toxicity to reproduction

STOT - single exposure

Components:

bronopol (INN):

Assessment: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

Repeated dose toxicity

Components:

fludioxonil:

Remarks: No adverse effect has been observed in chronic toxicity tests.

SECTION 12: Ecological information

12.1 Toxicity

Product:

LC50 (Oncorhynchus mykiss (rainbow trout)): 5.4 mg/l Toxicity to fish

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 30 mg/l

Exposure time: 48 h

Toxicity to algae ErC50 (Pseudokirchneriella subcapitata (green algae)): 5.4

Exposure time: 96 h

according to Regulation (EC) No. 1907/2006



MEDALLION TL

Version Revision Date: SDS Number: 7.0 07.11.2017 S1427722687

This version replaces all previous versions.

NOEC (Pseudokirchneriella subcapitata (green algae)): 1 mg/l

Exposure time: 96 h

Ecotoxicology Assessment

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects., Classifica-

tion of the product is based on the summation of the concen-

trations of classified components.

Components:

fludioxonil:

Toxicity to fish

: LC50 (Oncorhynchus mykiss (rainbow trout)): 0.23 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.4 mg/l

Exposure time: 48 h

Toxicity to algae : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 0.44

mg/

Exposure time: 96 h

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.132

mg/l

Exposure time: 96 h

ErC50 (Skeletonema costatum (marine diatom)): 0.43 mg/l

Exposure time: 96 h

NOEC (Skeletonema costatum (marine diatom)): 0.14 mg/l

End point: Growth rate Exposure time: 96 h

M-Factor (Acute aquatic tox-

icity)

1, M-Factor=1 used for transport classification

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l

Exposure time: 3 h

Toxicity to fish (Chronic tox-

icity)

NOEC: 0.04 mg/l Exposure time: 28 d

Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0.035 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic

toxicity)

10, M-Factor=1 used for transport classification

bronopol (INN):

Toxicity to algae : NOEC (algae): 0.0025 mg/l

according to Regulation (EC) No. 1907/2006



MEDALLION TL

Version Revision Date: SDS Number: This version replaces all previous versions. 7.0 07.11.2017 S1427722687

Exposure time: 72 h

EC50 (algae): 0.068 mg/l

Exposure time: 72 h

M-Factor (Acute aquatic tox- :

icity)

10

M-Factor (Chronic aquatic

toxicity)

10

1,2-benzisothiazol-3(2H)-one:

Ecotoxicology Assessment

Acute aquatic toxicity Very toxic to aquatic life.

12.2 Persistence and degradability

Components:

fludioxonil:

Biodegradability

Result: Not readily biodegradable.

bronopol (INN):

Biodegradability

Result: Readily biodegradable.

12.3 Bioaccumulative potential

Components:

fludioxonil:

Bioaccumulation

: Remarks: Does not bioaccumulate.

Partition coefficient: n-

octanol/water

: log Pow: 4.12 (25 °C)

12.4 Mobility in soil

Components:

fludioxonil:

Distribution among environ- : Remarks: immobile

mental compartments

Stability in soil Dissipation time: 14 d

> Percentage dissipation: 50 % (DT50) Remarks: Product is not persistent.

12.5 Results of PBT and vPvB assessment

Product:

Assessment

according to Regulation (EC) No. 1907/2006



MEDALLION TL

Version Revision Date: SDS Number: This version replaces all previous versions. 7.0 07.11.2017 S1427722687

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

Components:

fludioxonil:

Assessment

: This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB)..

12.6 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Do not dispose of waste into sewer.

Where possible recycling is preferred to disposal or incinera-

tion.

If recycling is not practicable, dispose of in compliance with

local regulations.

Contaminated packaging : Empty remaining contents.

Triple rinse containers.

Empty containers should be taken to an approved waste han-

dling site for recycling or disposal. Do not re-use empty containers.

Waste Code : uncleaned packagings

150110, packaging containing residues of or contaminated by

dangerous substances

SECTION 14: Transport information

14.1 UN number

ADN : UN 3082
ADR : UN 3082
RID : UN 3082
IMDG : UN 3082
IATA : UN 3082

14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(FLUDIOXONIL)

according to Regulation (EC) No. 1907/2006



MEDALLION TL

Version Revision Date: SDS Number: This version replaces all previous versions. 7.0 07.11.2017 S1427722687

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(FLUDIOXONIL)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(FLUDIOXONIL)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(FLUDIOXONIL)

IATA : Environmentally hazardous substance, liquid, n.o.s.

(FLUDIOXONIL)

14.3 Transport hazard class(es)

 ADN
 : 9

 ADR
 : 9

 RID
 : 9

 IMDG
 : 9

 IATA
 : 9

14.4 Packing group

ADN

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

ADR

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo : 964

aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

IATA (Passenger)

according to Regulation (EC) No. 1907/2006



MEDALLION TL

Version **Revision Date:** SDS Number: This version replaces all previous versions. 7.0 07.11.2017 S1427722687

Packing instruction (passen-964

ger aircraft)

Packing instruction (LQ) Y964 Packing group Ш

Labels Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous yes

ADR

Environmentally hazardous yes

Environmentally hazardous yes

IMDG

Marine pollutant yes

IATA (Passenger)

Marine pollutant yes

IATA (Cargo)

Marine pollutant yes

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals

REACH - Candidate List of Substances of Very High

Not applicable Not applicable

Concern for Authorisation (Article 59).

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Not applicable

Not applicable

Regulation (EC) No 850/2004 on persistent organic pol-

lutants

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of

major-accident hazards involving dangerous substances.

Quantity 1 Quantity 2

E1 **ENVIRONMENTAL** 100 t 200 t

HAZARDS

Other regulations:

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

according to Regulation (EC) No. 1907/2006



MEDALLION TL

Version Revision Date: SDS Number: This version replaces all previous versions. 7.0 07.11.2017 S1427722687

Use plant protection products safely. Always read the label and product information before use.

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

SECTION 16: Other information

Full text of H-Statements

H302 : Harmful if swallowed.
H312 : Harmful in contact with skin.
H315 : Causes skin irritation.

H317 : May cause an allergic skin reaction.
H318 : Causes serious eye damage.
H335 : May cause respiratory irritation.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Acute aquatic toxicity
Aquatic Chronic : Chronic aquatic toxicity
Eye Dam. : Serious eye damage
Skin Irrit. : Skin irritation

Skin Sens. : Skin sensitisation

STOT SE : Specific target organ toxicity - single exposure

IE OEL : Ireland. List of Chemical Agents and Occupational Exposure

Limit Values - Schedule 1

IE OEL / OELV - 8 hrs (TWA) : Occupational exposure limit value (8-hour reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substanc-

according to Regulation (EC) No. 1907/2006



MEDALLION TL

Version Revision Date: SDS Number: This version replaces all previous versions. 7.0 07.11.2017 S1427722687

es; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Classification procedure:

Aquatic Chronic 1

H410

Based on product data or assessment

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

IE / EN