

The **balance** of **power**...
...is in your hands

Prevention

Cure



 **Ascernity**[™]
Fungicide

syngenta[®]


™

ASCERNITY – THE POWER IS IN YOUR HANDS

ASCERNITY is the innovative new balanced-systemic turf fungicide from Syngenta, developed to achieve reliable sustained disease control.




NEW CHEMISTRY AND NEW MODE OF ACTION



It's the first opportunity to utilise the exciting new chemistry to protect better playing surface quality for today's more demanding players.

TWO ACTIVES AND TWO DIFFERENT MODES OF ACTION





TWO actives and TWO different modes of action targets disease at different stages » greater flexibility in application timing and control.



STOP DISEASE SPREAD

The earlier that disease can be stopped, the less damage is caused to the turf plant. Preventing fungal hyphae initially g



Control of disease at the early stages of infection


- Prevent leaf damage
- Reduce stress on plants
- Break disease cycle
- Protect playing surface quality
- Keep turf stronger and healthier

As fungal disease develops in the leaf it draws glucose sugars produced by the plant to grow. Ascernity effectively blocks the disease cells' ability to absorb the plant's sugars – quickly stopping further development and halting disease spread.

1st » **FIRST pyrazole-carboximide class of fungicide technology for turf in the UK**

EXCEPTIONAL PROTECTION

Over 80 trials across Europe has shown the exceptional protection offered by ASCERNITY.



Getting into the leaf offers the best first line of defence.




CURATIVE

CELLULAR GROWTH

BLISTERING

PROTECTION

Enjoy the exceptional reliable and sustained disease protection



BROAD-SPECTRUM CONTROL

ASCERNITY provides outstanding control of a broad-spectrum of key turf diseases including:

Microdochium Patch Anthracnose Dollar Spot

APPLICATION ADVICE

Apply ASCERNITY during periods of active turf growth prior to disease development or at first stages.

Timing	Product rate	Water volume	Timing
Apply preventively to early curative Preventative applications provide superior performance and longevity	3 l/ha	200 – 400 l/ha	During periods of active growth

Trials have shown ASCERNITY can be safely applied at any stage of turf growth, from two leaves onwards. No phytotoxicity has ever been recorded in over 80 trials in nine countries on a range of cultivars of all key turf species.

BALANCED SYSTEMICITY GIVES SUSTAINED PROTECTION

ASCERNITY offers a new way to achieve reliable protection of turf health against disease infection.



- » **NEW** pyrazol-carboximide fungicide technology for turf
- » **COMBINED** with **NEW** high-performance triazole
- » **BALANCED** systemicity delivers sustained protection throughout the leaf

The advanced formulation of ASCERNITY has been designed to create a protective coating on the leaf surface, AND to move evenly through the plant to counter disease already active in the leaf.

Unlike some systemic actives, ASCERNITY stays evenly distributed through the leaf.


- » Some actives move quickly to the leaf tip, leaving parts of the plant unprotected
- » Some actives don't move sufficiently to protect all the plant and new growth

The balanced systemicity of ASCERNITY ensures the whole plant leaf remains protected for longer – with sustained disease control.



ASCERNITY is extremely stable within the leaf. Even 14 days after application studies have shown no degradation or dilution in the leaf.

Distribution profile of active in 4 leaf segments quantified 10 days after application.



The balance of translaminar and systemic uptake from leaf, stem, crown and axil points, retains the disease-fighting active throughout the growing leaf.

OPTIMUM USE PERIOD

Used as a strategic part of an integrated Turf Management plan, ASCERNITY can assure a sustainable long-term future for effective turf disease control.



Always read the label before use and follow country specific information.

Application rate	3 l/ha
Pack size	3 litres
Water volume	125 – 500 l/ha
Number of applications	2 per year
Areas of use	Managed amenity turf
Active ingredients	Solatenol™ + Difenoconazole
Formulation	Suspension concentrate
Rate of active (per ha)	70 + 235 g/ha
Label diseases	Microdochium patch, Dollar spot and Anthracnose
Activity	Dual systemic

Syngenta UK Ltd. Registered in England No. 849037. CPC4, Capital Park, Fulbourn, Cambridge CB21 5XE.
 Email: product.technical_enquiries@syngenta.com Web: www.syngentaturf.co.uk

Ascernity® is a Registered Trademark of a Syngenta Group Company. Ascernity® (MAPP 19544, PCS 05520) contains Solatenol™ and difenoconazole.

All other brand names used are trademarks of other manufacturers in which proprietary rights may exist. Always read the label and product information before use. Use plant protection products safely. For more information including warning phrases and symbols refer to www.syngentaturf.co.uk © Syngenta September 2023. RDP33821

ICL Distributed in the UK and Ireland by ICL Ltd. Tel: 01473 237 100 Email: prof.sales@icl-group.com Web: www.icl-growingsolutions.uk